

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.
MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606
PLANT LOCATIONS: Address above AND Circuito del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY
TITLE OF THE STANDARD OF CONSTRUCTION
Proprietary standard, from applicable requirements of CSA standard B61 and product data sheets, supported by proof pressure tests.
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT
ROSEMOUNT Analytical
TYPE OF CONSTRUCTION
FORGED [] WELDED [] WROUGHT []
CAST [] OTHER [X]
DESCRIBE OTHER:
CAST/POTTED/OVERMOLDED
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
228-02/-03/-04/-05 proof pressure test report 24640-TRT Rev. 00
Model 228 Product Data Sheet, 71-226/228, which includes maximum pressure and temperature ratings and markings.
Model 228 assembly drawing, showing material specification, dimensions and wall thicknesses.

DECLARATION:

I, Dana Crowley, (see note 3) employed by Emerson Process Management and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Dana Crowley
Declared before me at ORANGE COUNTY, CALIFORNIA, USA
This 12TH day of JANUARY AD 2012
Commissioner of Oaths or Notary Public: (sign) Catherine Ann Stip



This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.
ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
ENVIRONMENT, LABOUR & JUSTICE
C.R.N. OF1206459
DATE: Feb 6 12
INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

- Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON


PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606	
PLANT LOCATIONS: Address above AND Circuito del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p><input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>Proprietary standard, from applicable requirements of CSA standard B51 and product data sheets, supported by proof pressure tests.</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div style="text-align: center; font-size: 1.5em; font-weight: bold;">ROSEMOUNT[®]</div> <div style="text-align: center;">Analytical</div>	
<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: CAST/POTTED/OVERMOLDED</p>	
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>228-02/-03/-04/-05 proof pressure test report 24640-TRT Rev. 00 Model 228 Product Data Sheet, 71-226/228, which includes maximum pressure and temperature ratings and markings. Model 228 assembly drawing, showing material specification, dimensions and wall thicknesses.</p>	

DECLARATION:
 I, Dana Crowley (see note 3) employed by Emerson Process Management and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Dana Crowley*
 Declared before me at ORANGE COUNTY, CALIFORNIA, USA
 This 12TH day of JANUARY AD 2012
 Commissioner of Oaths or Notary Public: (sign) *Catherine Ann Stip*



<p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance</p> <p>CRN: <u>OF12064.5</u></p> <p>FID#: <u>521</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p>GOVERNMENT OF NEWFOUNDLAND AND LABRADOR</p> <p>Department of Government Services</p> <p>Registered <u>OF12064.50</u> Date <u>2012/2/10</u></p> <p>GOVERNMENT SERVICES CENTRE Engineering and Inspection Services</p> <p>Registered by <u><i>[Signature]</i></u></p> <p>UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p> <p style="font-size: 0.8em;">Rec'd by: [Signature] 1-06/2003</p>
--	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.

MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606

PLANT LOCATIONS: Address above AND Circuito del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190.

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies; all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
Proprietary standard, from applicable requirements of CSA standard B51 and product data sheets, supported by proof pressure tests.

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

ROSEMOUNT
Analytical

TYPE OF CONSTRUCTION

FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:
CAST/POTTED/OVERMOLDED

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

228-02/-03/-04/-05 proof pressure test report 24640-TRT Rev. 00
Model 228 Product Data Sheet, 71-226/228, which includes maximum pressure and temperature ratings and markings.
Model 228 assembly drawing, showing material specification, dimensions and wall thicknesses.

DECLARATION:

I, Dana Crowley (see note 3) employed by Emerson Process Management and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:


Dana Crowley

Declared before me at ORANGE COUNTY, CALIFORNIA, USA

This 12th day of JANUARY AD 2012

Commissioner of Oaths or Notary Public: (sign) *Catherine Ann Ship*

U S E




This space for Regulatory Authority Use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F12064.5

FID#: 521



C.R.N. 0F12064.58

Dwg. as described

Signed *Yvonne Perry*



Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606	
PLANT LOCATIONS: Address above AND Circuito del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>Proprietary standard, from applicable requirements of CSA standard B51 and product data sheets, supported by proof pressure tests.</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p align="center">ROSEMOUNT[®] Analytical</p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: CAST/POTTED/OVERMOLDED</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>228-02/-03/-04/-05 proof pressure test report 24640-TRT Rev. 00 Model 228 Product Data Sheet, 71-226/228, which includes maximum pressure and temperature ratings and markings. Model 228 assembly drawing, showing material specification, dimensions and wall thicknesses.</p>	

DECLARATION:

I, Dana Crowley (see note 3) employed by Emerson Process Management and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Dana Crowley*
 Declared before me at ORANGE COUNTY, CALIFORNIA, USA
 This 12TH day of JANUARY AD 2012
 Commissioner of Oaths or Notary Public: (sign) *Catherine Ann Stip*



<p>This space for Regulatory Authority use This registration must be revalidated after ten (10) years from DATE OF ACCEPTANCE</p> <p>CRN: <u>0F12064.5</u> FID#: <u>521</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p align="center">DEPT OF PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY</p> <p>CRN <u>0F12064.57</u></p> <p>EXAMINER: <u><i>Dana Crowley</i></u> for CHIEF BOILER INSPECTOR</p> <p>DATE: <u>02/03/2012</u></p> <p align="right"><input type="checkbox"/> BLRs Sect 1.0 - Fittings Rev. 1 06/2003</p>
--	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606	
PLANT LOCATIONS: Address above AND Circuito del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>Proprietary standard, from applicable requirements of CSA standard B51 and product data sheets, supported by proof pressure tests.</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p align="center">ROSEMOUNT[®] Analytical</p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: CAST/POTTED/OVERMOLDED</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>228-02/-03/-04/-05 proof pressure test report 24840-TRT Rev. 00 Model 228 Product Data Sheet, 71-226/228, which includes maximum pressure and temperature ratings and markings. Model 228 assembly drawing, showing material specification, dimensions and wall thicknesses.</p>	

DECLARATION:

I Dana Crowley (see note 3) employed by Emerson Process Management and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Dana Crowley*
 Declared before me at ORANGE COUNTY, CALIFORNIA, USA
 This 12TH day of JANUARY AD 2012
 Commissioner of Oaths or Notary Public: (sign) *Catherine Ann Stip*



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F12064.5
 FID#: 521

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

GOVERNMENT OF YUKON

BY *[Signature]*

CRN 0F12064.5

DATE 2/3/12

BOILERS BRANCH

Sect. 1.0 - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.
MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606

PLANT LOCATIONS: Address above AND Circuito del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190

- CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY
- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 - B Flanges: all flanges
 - C Valves: all line valves
 - D Expansion joints, flexible connections, and hose assemblies: all types
 - E Strainers, filters, separators, and steam traps
 - F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 - G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 - H Pressure retaining components that do not fall into one of the above categories
 - N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
Proprietary standard, from applicable requirements of CSA standard B51 and product data sheets, supported by proof pressure tests.

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

ROSEMOUNT
Analytical


TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:
CAST/POTTED/OVERWOUND

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
228-02/-03/-04/-06 proof pressure test report 24840-TRT Rev. 00
Model 228 Product Data Sheet, 71-228/228, which includes maximum pressure and temperature ratings and markings.
Model 228 assembly drawing, showing material specification, dimensions and wall thicknesses.

DECLARATION:

I, Dana Crowley, (see note 3) employed by Emerson Process Management and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure, temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Dana Crowley
Declared before me at ORANGE COUNTY, CALIFORNIA, USA
This 12TH day of JANUARY AD 2012
Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F12064.5
FID#: 521

Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT
 C.R.N. 0F12064.5
 SIGNED [Signature]
 DATE Jan 10/2012

\$ 150.00

sect. 10 - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606	
PLANT LOCATIONS: Address above AND Circuito del Progreso #27, Parque Industrial Progreso, Mexicali, BC, Mexico CP-21190	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuelible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>Proprietary standard, from applicable requirements of CSA standard B51 and product data sheets, supported by proof pressure tests.</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p style="text-align: center;">ROSEMOUNT Analytical</p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: CAST/POLLED/OVERWOUND</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>228-02/03/04/05 proof pressure test report 24640-TRT Rev. 00 Model 228 Product Data Sheet, 71-228/228, which includes maximum pressure and temperature ratings and markings. Model 228 assembly drawing, showing material specification, dimensions and wall thicknesses.</p>	

DECLARATION:

I Dana Crowlev (see note 3) employed by Emerson Process Management and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of those fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Del Norte Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at ORANGE COUNTY, CALIFORNIA, USA
 This 12TH day of JANUARY AD 2012
 Commissioner of Oaths or Notary Public: (sign) [Signature]



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F12064.5
 FID#: 521

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

NUNAVUT

Boilers and Pressure Vessels Act

REGISTERED

CRN 0F12064.5N
 Date Feb 26, 2012
 Signed [Signature] Chief Inspector

Sect. 1.0 - Fittings Rev. 1 08/2003

Territorial Registration Fee 75