

# Table of Contents

Scope of Registration 961000039-B .....	2
Manufacturing Locations .....	4
01_BC_0F19773.51ADD1_FMR6x(B) .....	5
02_AB_0F19773.52ADD1_FMR6x(B) .....	6
03_SK_0F19773.53ADD1_FMR6x(B) .....	7
04_MB_0F19773.54ADD1_FMR6x(B) .....	8
05_ON_0F19773.5ADD1_FMR6x(B) .....	9
06_QC_0F19773.56ADD1_FMR6x(B) .....	10
07_NB_0F19773.57ADD1_FMR6x(B) .....	12
08_NS_0F19773.58ADD1_FMR6x(B) .....	13
09_PEI_0F19773.59ADD1_FMR6x(B) .....	14
10_NL_0F19773.50ADD1_FMR6x(B) .....	15
11_YK_0F19773.5YADD1_FMR6x(B) .....	16
12_NT_0F19773.5TADD1_FMR6x(B) .....	17
13_NU_0F19773.5NADD1_FMR6x(B) .....	18

**Doc. #96100039-B Revision B to CRN 0F19773.5C**

## SCOPE OF CRN REGISTRATION

Addendum for new model types; but types and features are already approved by CRN 0F15872.5C and CRN 0F18153.5C

Product:	Micropilot Types FMR60, <b>FMR60B</b> , FMR62, <b>FMR62B</b> , <b>FMR63B</b> , <b>FMR66B</b> , FMR67, <b>FMR67B</b> , OFMR60, <b>OFMR60B</b> , OFMR62, <b>OFMR62B</b> , <b>OFMR63B</b> , <b>OFMR66B</b> , OFMR67, <b>OFMR67B</b>
Code of Construction:	ASME B31.3-2020ED; ISA 82.03; IEC 61010-1 2017

## PRODUCT DESCRIPTION

Process Connection		Materials of Construction 2)	MDMT and Design Temperature (°C)	Maximum Design Pressure (bar)	Top Level drawing	Detailed drawings	Ref CRN	Type	New Types
Design	Pressure Components 1)								
ASME B1.20.1-1983 NPT Thread	MNPT: 1 1/2"	PVDF Kynar 720 (PVDF 720 EH)	-40°C up to 130°C	3 bar	961006534-A	961006545	-	-	FMR60B, OFMR60B FMR66B, OFMR66B
ISO 228 Thread	Threaded: G 1 1/2"		-40°C up to 130°C	3 bar					
ASME B1.20.1-1983 NPT Thread	MNPT: 1 1/2"	UNS S31603, SA-479 (316L, 1.4404) UNS S31603, SA-479 (316L, 1.4435)	-60°C up to 200°C	40 bar	960018813-A	960018814	NMR81: 0F18153.5C	FMR60, OFMR60	FMR60B, OFMR60B
ISO 228 Thread	Threaded: G 1 1/2"		-60°C up to 150°C	3 bar					
ISA 82.03/IEC 61010-1 2017	UNI flange: suitable for 2", 3", 4", 6", 8"								
ASME B1.20.1-1983 NPT Thread	MNPT: 3/4", 1 1/2"	UNS S31603, SA-479 (316L, 1.4404) UNS S31603, SA-479 (316L, 1.4435)	-60°C up to 200°C	40 bar	960018807-B	960018803 960018804 960018805 960018806	-	FMR62, OFMR62	FMR60B, OFMR60B
ISO 228 Thread	Threaded: G 3/4", G 1 1/2"			16 bar		961000222-B			
DIN 13 ISO metric Thread	Threaded: M24x1.5	UNS S31603, SA-479 (316L, 1.4404) UNS S31603, SA-479 (316L, 1.4435)		by flange class; class ≥ 300 de- rate to 25 bar	961000066-B	960014870 960014871 960018860 960018861	FMR52: 0F15872.5C	FMR62, OFMR62	FMR62B, OFMR62B
ASME B16.5 Flange	Flange Class: 150, 300 Size: 1 1/2", 2", 3", 4", 6" (150#) 1 1/2", 2", 3", 4", 6" (300#)	Group 2.2, UNS S31600, SA-182 (F316, 1.4436) Group 2.2, UNS S31600, SA-240 (316, 1.4436) Group 2.3, UNS S31603, SA-182 (F316L, 1.4404) Group 2.3, UNS S31603, SA-240 (316L, 1.4435) (PTFE coated)		16 bar	960018859-A	960016925 960018860 960018861	-	FMR62, OFMR62	FMR63B, OFMR63B
ISO 2852 Tri-Clamp	Sanitary 2"	UNS S31603, SA-479 (316L, 1.4435) (PTFE coated)		10 bar		960018860 960018861 961000069 961000070	-	FMR62, OFMR62	FMR63B, OFMR63B
ISO 2852 Tri-Clamp	Sanitary 3", 4"			25 bar	961000068-B				
DIN 11851 Sanitary fitting	DN50 / PN25, DN80 / PN25								
ASME B16.5 Flange	Flange Class: 150, 300 Size: 2", 3", 4", 6", 8"	Group 2.2, UNS S31600, SA-182 (F316, 1.4436) Group 2.2, UNS S31600, SA-240 (316, 1.4436) Group 2.3, UNS S31603, SA-182 (F316L, 1.4404) Group 2.3, UNS S31603, SA-240 (316L, 1.4435)	-60°C up to 200°C	by flange class; class ≥ 300 de- rated to 40 bar	960018813-A	960014870 961006556	FMR51 flange threaded 0F15872.5C	-	FMR62B, OFMR62B
ASME B16.5 Flange	Flange Class: 150, 300, 600 Size: 1 1/2", 2", 3", 4", 6"	Group 2.2, UNS S31600, SA-182 (F316, 1.4436) Group 2.2, UNS S31600, SA-240 (316, 1.4436) Group 2.3, UNS S31603, SA-182 (F316L, 1.4404) Group 2.3, UNS S31603, SA-240 (316L, 1.4435)	-196°C up to 450°C	by flange class; class ≥ 600 de- rated to 100 bar	961006527-A	961006533 961006532 960014870 960016999 960016998	FMR51 HT 0F15872.5C	-	FMR62B, OFMR62B FMR67B, OFMR67B

**THIS IS PART OF CRN**  
**0F19773.5ADD1**  
Technical Standards and Safety Authority  
Boilers and Pressure Vessels Safety  
Program

ASME B1.20.1-1983 NPT Thread	MNPT: 1 1/2"	UNS S31603, SA-479 (316L, 1.4404) UNS S31603, SA-479 (316L, 1.4435)	-60°C up to 200°C	40 bar	960018813-A	960018814	NMR81: 0F18153.5C	FMR67, OFMR67	FMR66B, OFMR66B
ISO 228 Thread	Threaded: G 1 1/2"		-60°C up to 150°C	3 bar		960018815	-		
ISA 82.03/IEC 61010-1 2017	UNI flange: suitable for 2", 3", 4", 6", 8"	Group 2.2, UNS S31600, SA-182 (F316, 1.4436) Group 2.2, UNS S31600, SA-240 (316, 1.4436) Group 2.3, UNS S31603, SA-182 (F316L, 1.4404) Group 2.3, UNS S31603, SA-240 (316L, 1.4435)	-60°C up to -200°C	by flange class; class ≥ 300 de- rate to 16 bar	960018810-A	960014871	FMR57: 0F15872.5C	FMR67, OFMR67	FMR67B, OFMR67B
ASME B16.5 Flange	Flange Class: 150 Size: 3", 4", 6", 8"					960018811			
ISA 82.03/IEC 61010-1 2017	plug / adapter suitable for size NPT 1/4" or G 1/4"	UNS S31603, SA-479 (316L, 1.4404) UNS S31603, SA-479 (316L, 1.4435) UNS S31603, SA-479 (316L, A4)							

**Note 1)** Standard product flange sizes above are for de-rated pressures indicated. Flange class or size may be increased for sole purposes of connection to mating flange, and only at the de-rated pressures indicated above.

**Note 2)** The following additional alloys of superior or equivalent properties to those listed above are also included in the scope of registration as follows:

N06022, B574/B564, (C-22, 2.4602); N10276, B574/B564, (C-276, 2.4819); S31803, A276/A182, F51, (318LN, 1.4462); S32750, A240/A479/A182, F53, (2507, 1.4410); S32760, A479/A182, F55, (Zeron 100, 1.4501); N06600, B166/B564, (Inconel 600, 2.4816); N06625, B446/B564, (Inconel 625, 2.4856); N08825, B425/B564, (Inconel 825, 2.4858); N04400, B164/B564, (Monel 400, 2.4360); S30403, A479/A182, (304L, 1.4306/1.4307); N08926, B649, (926, 1.4529); N08904, B649, (904L, 1.4539); N08020, B462 (904L, 1.4539); Please see document **960017960--**

Materials **not** for use with B16.5 flanges: **A276**

**Note 3)** See attached list of Endress+Hauser SE+Co. KG manufacturing locations applicable to this CRN.

**Note 4)** Similar process connections may be substituted under the following requirements: 1) CRN approved, 2) of the same type above, 3) meets the minimum design conditions above, 4) fitted to the transmitter with the same method as the substituted part above.

**THIS IS PART OF CRN**  
**0F19773.5ADD1**  
 Technical Standards and Safety Authority  
 Boilers and Pressure Vessels Safety  
 Program

**WORLDWIDE LOCATIONS APPENDIX**

**ENDRESS+HAUSER SE+Co. KG MANUFACTURING LOCATIONS  
& CERTIFYING AUTHORITIES**

(rev. 22/Jan/2020)

**Endress+Hauser SE+Co. KG**  
Hauptstrasse 1  
79689 Maulburg, Germany  
**ISO 9001 Certified by SQS**

**Endress+Hauser (Suzhou) Automation Instrumentation Co. Ltd.**  
China – Singapore Industrial Park (SIP)  
Su Hong Zhong Lu No. 491  
Jiangsu Province, 215021 Suzhou, P.R. China  
**ISO 9001 Certified by SQS**

**Endress+Hauser (India) Automation Instrumentation Pvt. Ltd.**  
M-192, Waluj MIDC  
Aurangabad – 431136,  
Maharashtra State, India  
**ISO 9001 Certified by SQS**

**Endress+Hauser Yamanashi Co., Ltd.**  
862-1 Mitsukunugi  
Sakaigawa-cho  
Fuefuki-shi  
406 0846 Yamanashi, Japan  
**ISO 9001 Certified by SQS**

**Endress+Hauser (USA)**  
**Automation Instrumentation Inc.**  
2340 Endress Place  
Greenwood, Indiana 46143, USA  
**ISO 9001 Certified by SQS**

**Endress+Hauser (Brazil)**  
**Instrumentação e Automação Ltda.**  
Estrada Municipal Antonio Sesti  
600 Bairro Recreio Costa Verde  
Itatiba/SP – 13254-085, Brazil  
**ISO 9001 Certified by SQS**

**Endress+Hauser SE+Co. KG**  
Queremathe 2  
14532 Stahnsdorf  
Germany  
**ISO 9001 Certified by SQS**

**THIS IS PART OF CRN**  
**0F19773.5ADD1**  
Technical Standards and Safety Authority  
Boilers and Pressure Vessels Safety  
Program

ATTN: TITAN RESEARCH GROUP  
TITAN RESEARCH GROUP  
#200 1920 YONGE STREET  
TORONTO ON M4S 3E6

**Date:** 07-Feb-2024  
**TSBC Account #:** 069359  
**TSBC Admin Number:** 105140  
**Canadian Registration Number:** 0F19773.51

### Re: Application for Design Registration

The design, as detailed in your Design Portal application Micropilot FMR6x for a Pressure Fitting is registered with the following notes and considerations:

<b>Registered To:</b>	Endress+Hauser SE+CO.KG
<b>Project Name:</b>	Micropilot FMR6x
<b>Drawing #:</b>	#961000039-B
<b>Drawing Revision:</b>	B

### Conditions of Registration:

(1)Fitting Registration Expiry Date: 01-Nov-2027 (2) The registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of quality management system lapse before the expiry date indicated above, this registration shall become void.

### Reviewer's Notes:

Any additional conditions and considerations from the initial province of registration shall apply to this BC registration.

Full details of this submission including the scope of registration, design conditions, fabrication details, and calculations pertaining to this design are located in the above Admin Number on the Design Portal. For all other enquiries, please contact [eim@technicalsaftybc.ca](mailto:eim@technicalsaftybc.ca).

The Engineering Information Management Team

March 20, 2024

**Attention:** Rob McGregor  
TITAN RESEARCH GROUP  
1920 YONGE STREET 2ND FLOOR  
TORONTO, ON M4S 3E2

The design submission, Tracking Number 2024-00513, Web Portal Number 2024-S0377, originally received on January 29, 2024 was surveyed and accepted for registration as follows:

**CRN :** 0F19773.52 **Accepted on:** March 20, 2024  
**Reg Type:** ADDITION TO ACC. FITTING **Expiry Date:** November 01, 2027  
**Drawing No. :** #961000039-B Rev B  
**Fitting type:** Micropilot Types: FMR, OFMR  
Design registered in the name of : ENDRESS + HAUSER SE + CO KG

**The registration is conditional on your compliance with the following notes:**

- *The scope of this registration is adding the new models, and new materials for the micropilot types.*

*As indicated on AB-41 Statutory Declaration or AB-351 Declaration of Conformity form and submitted documentation, the code of construction is ASME B31.3.*

- *It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration or AB-351 Declaration of Conformity as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.*

- *This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration or AB-351 Declaration of Conformity form.*

- *This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency, and maintains a valid Certification of Authorization Permit if required by the jurisdiction where manufacturing takes place, until that date.*

- *Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3382 or fax (780) 437-7787 or e-mail [Stojanovic@absa.ca](mailto:Stojanovic@absa.ca).

Sincerely,



STOJANOVIC, STEVAN, P. Eng.  
DOP Cert. No. D00008849

**REGISTRATION OF A PRESSURE FITTING DESIGN**

March 21, 2034

6870830 Canada Inc o/a Titan Research Group  
1920 Yonge Street  
Suite 200  
Toronto, ON  
Canada  
M4S 3E2

**Attention: Rob McGregor**

**File Number: 100367**

**Re: Manufacturer: Endress+Hauser SE+Co. KG**

**Item: Micropilot Types FMR60, FMR60B, FMR62, FMR62B, FMR63B, FMR66B, FMR67, FMR67B, OFMR60, OFMR60B, OFMR62, OFMR62B, OFMR63B, OFMR66B, OFMR67, OFMR67B**

**Catalog or Drawing: See Scope of Registration# 961000039-B**

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

**OF19773.53**

**Expiry Date: 2027-11-01**

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,



Williams Uju, P.Eng.

Codes and Standards Compliance

**Remarks:**

A valid quality control program must be maintained at the production facility for the fitting registration to remain valid until the expiry date.



February 28, 2024

Titan Research Group (6870830 Canada Inc)  
1920 Yonge St. Ste 200  
Toronto Ontario M4S 3E2

**Dear Rob McGregor,**

**Re: Reciprocal CRN Registration in Manitoba**

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, the design reviews conducted and accepted by the Canadian province or territory, or their delegated safety authority, will be mutually recognized in the Province of Manitoba. If a registration is conditionally based on compliance with the notes set by the original issuing Jurisdiction, such compliance shall be applied the same to this Province.

Your submission has been registered, as follows:

File Number: 74-R3862  
CRN: 0F19773.54  
Scope: See Scope of Registration# 961000039-B  
Manufacturer: ENDRESS + HAUSER GMBH + CO KG  
Expiry Date: 1 November 2027

Along with this letter is the invoice for registration.

In addition, every Pressure Vessel, Boiler, and Heat Exchanger shall be stamped with the registration number and as required by CSA Code B51, a Manufacturer's Data Report (MDR) must be forwarded to this office immediately at the time a unit is shipped to Manitoba. Send your MDR to [gasupport@gov.mb.ca](mailto:gasupport@gov.mb.ca). In your subject line, indicate "*Manufacturer's Data Report-CRN No.*" A fee shall be billed to the Manufacturer to process data reports in accordance with the Steam and Pressure Plants Regulation section 17.1.

Please contact [gasupport@gov.mb.ca](mailto:gasupport@gov.mb.ca) for any questions or concerns.

**Inspection and Technical Services**

Labour and Immigration  
508 – 401 York Avenue, Winnipeg, MB R3C 0P8  
T (204) 945-3373 | F (204) 948-2089



345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

October 26, 2023

TITAN RESEARCH GROUP  
1920 YONGE ST 2ND FLR  
TORONTO ON M4S 3E2

**Workorder Type:** Registration - Fitting(Conventional)  
**Workorder No:** 14052006  
**Your Reference No.:**  
**Registered to:** ENDRESS + HAUSER GMBH + CO KG

Dear ROB MCGREGOR,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN : 0F19773.5ADD1  
Main Design No.: See Scope of Registration# 961000039-B  
Expiry Date: Nov 01, 2027

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately (There will be no hard copies for electronic submissions). Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

A handwritten signature in black ink, appearing to read "Zivko Gacevic".

Zivko Gacevic , P. Eng.  
Engineer, BPV  
Tel. : +1 416-734-3429  
Email : [zgacevic@tssa.org](mailto:zgacevic@tssa.org)

Montréal, 19 février 2024.

ROB MCGREGOR  
TITAN RESEARCH GROUP  
1920 YONGE STREET SUITE 200  
TORONTO ONTARIO  
CANADA M4S 3E2

Fabricant : ENDRESS + HAUSER CANADA GMBH + CO. KG  
HAUPTSTRASSE 1  
MAULBURG GERMANY  
DE-79689

Numéro de dossier : 944565  
Numéro(s) de dessin(s) : Scope of registration 961000039-B  
Dated 27 June 2023

**Objet : Enregistrement des plans et devis – Confirmation de l'enregistrement**

Bonjour,

Nous vous informons que votre demande d'enregistrement de plans et devis a été traitée et que cette conception a été enregistrée sous le numéro d'enregistrement canadien (NEC\CRN) suivant : **0F19773.56**.

Nous portons votre attention sur certaines exigences réglementaires concernant les installations sous pression, ainsi que des codes et normes qui y sont associés :

- Le fabricant doit maintenir un programme de contrôle de la qualité valide pour fabriquer un équipement selon ce NEC;
- Ce numéro d'enregistrement demeure valide tant et aussi longtemps que les paramètres de conception demeurent inchangés. Dans le cas d'accessoires, l'enregistrement est valide pour une durée de 10 ans à partir de la date d'enregistrement. Les documents de conception doivent alors être resoumis pour validation;
- Le fabricant doit nous transmettre une copie de la *Déclaration de conformité du constructeur (Manufacturer's Data Report)* pour chaque appareil ou chaudière fabriqué selon ce NEC dans les 30 jours suivant la signature de cette déclaration;
- Le numéro de dessin enregistré et le numéro de révision doivent être indiqués sur la déclaration de conformité pour les équipements fabriqués selon ce NEC.

Le présent avis d'approbation ne dégage pas le fabricant de ses responsabilités quant à la conception ou à la construction des équipements ou d'accessoires fabriqués selon un NEC.

Salutations distinguées,

Bureau d'expertise et d'homologation en équipements sous pression

**Montréal**

255, boul. Crémazie Est, 2<sup>ième</sup> étage  
Montréal (Québec) H2M 1L5  
Téléphone : 514 873-2546  
Sans frais : 1 866 262-2084  
[enregistrementdesplans@rbq.gouv.qc.ca](mailto:enregistrementdesplans@rbq.gouv.qc.ca)  
[www.rbq.gouv.qc.ca](http://www.rbq.gouv.qc.ca)

Montréal, le 19 février 2024.

ROB MCGREGOR  
TITAN RESEARCH GROUP  
1920 YONGE STREET SUITE 200  
TORONTO ONTARIO  
CANADA M4S 3E2

Manufacturer : ENDRESS + HAUSER CANADA GMBH + CO. KG  
HAUPTSTRASSE 1  
MAULBURG GERMANY  
DE-79689

OUR REFERENCE : 944565  
Design number : Scope of registration 961000039-B  
Dated 27 June 2023

**Subject: Design registration confirmation**

Hi,

We wish to inform you that your design registration application has been evaluated and that it was registered under the following Canadian Registration Number (CRN): **0F19773.56**.

The following is a reminder of your obligations regarding certain requirements of the regulation respecting pressure vessels, and the referenced codes and standards:

- The manufacturer must maintain a valid quality control program to manufacture equipment according to the CRN.
- The CRN remains valid as long as there are no changes to the design calculations that might affect the pressure boundary. The design registration of fittings expires 10 years after acceptance. It must, therefore, be resubmitted for validation.
- The manufacturer shall submit a copy of the *Manufacturer's Data Report* to us for each boiler or pressure vessel manufactured according to this CRN within 30 days following the signing of this report.
- The drawing number and the revision number registered under this CRN must be indicated on the *Manufacturer's Data Report* for equipment manufactured according to the CRN.

This notice of approval does not relieve the manufacturer of their responsibilities with respect to the design or fabrication of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

**Montréal**

255, boul. Crémazie Est, 2ième étage  
Montréal (Québec) H2M 1L5  
Téléphone : 514 873-2546  
Sans frais : 1 866 262-2084  
[enregistrementdesplans@rbq.gouv.qc.ca](mailto:enregistrementdesplans@rbq.gouv.qc.ca)  
[www.rbq.gouv.qc.ca](http://www.rbq.gouv.qc.ca)

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick X      Nova Scotia X      Prince Edward Island X      Newfoundland and Labrador X  
 Nunavut X      Yukon X      Northwest Territories X

Manufacturers Name: ENDRESS+HAUSER SE+Co.KG, see attached worldwide locations appendix	
Manufacturers Address: Hauptstrasse 1, 79689 Maulburg, Germany, see "Worldwide Locations"	
Plant Locations: Hauptstrasse 1, 79689 Maulburg, Germany, see "Worldwide Locations"	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps  <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div style="text-align: center;">  <p><b>Endress+Hauser</b> People for Process Automation</p> </div>	
<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:  <p align="center" style="font-size: 1.2em;"><b>Machined</b></p> </p>	
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>CRN Micropilot FMR6X / FMR6XB</p>	

**Declaration:**

I Christopher Proios (see note 3) employed by Endress+Hauser SE+Co. KG and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS ISO 9001: 2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

<p align="center">This space for Regulatory Authority use                  This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0F19773.5 Add1</u></p> <p>FID#: <u>133</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p align="left">11/2016</p>	<p align="center">Use this space for the Official Seal</p> <div align="center">  <p><b>DEPT OF JUSTICE PUBLIC SAFETY</b>  <b>BOILER &amp; PRESSURE VESSEL ACT</b></p> <p align="center">REGISTRATION ONLY</p> <p>CRN <u>0F19773.57 Add1</u></p> <p align="center">  <b>CHIEF BOILER INSPECTOR</b></p> <p>DATE <u>2/2/24</u> <small>Sect 1.0 - Fittings Rev.2</small></p> </div>
--	---

- BLRs       PVs  
 FITTINGS       NUCLEAR COMPONENTS


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick x    Nova Scotia x    Prince Edward Island x    Newfoundland and Labrador x  
 Nunavut x    Yukon x    Northwest Territories x

Manufacturers Name: ENDRESS+HAUSER SE+Co.KG, see attached worldwide locations appendix	
Manufacturers Address: Hauptstrasse 1, 78889 Maulburg, Germany, see "Worldwide Locations"	
Plant Locations: Hauptstrasse 1, 78889 Maulburg, Germany, see "Worldwide Locations"	
<p align="center"><b>Category of Fittings to be registered, Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps  <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">ASME B31.3</p>
<p align="center"><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"><b>Endress+Hauser</b> </p> <p align="center">People for Process Automation</p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:  <p align="center"><b>Machined</b></p> </p>
<p align="center"><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>CRN Micropilot FMR6X / FMR6XB</p>	

**Declaration:**

I Christopher Proba (see note 3) employed by Endress+Hauser SE+Co. KG and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance</p> <p>CRN: <u>OF19773.5 Add 1</u></p> <p>FID#: <u>133</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>11/2016</p>	<p align="center">NOVA SCOTIA</p> <p align="center">Date <u>Feb. 2/24</u></p> <p align="center">C.R.N. <u>OF19773.58 Add. 1</u></p> <p align="center">Dwg. <u>as described</u></p> <p align="center">Signed <u></u></p> <p align="center"><u>1 of 1</u> Part</p> <p align="right">Sect 1.0 - Fittings Rev.2</p>
--	---

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick X Nova Scotia X Prince Edward Island X Newfoundland and Labrador X  
 Nunavut X Yukon X Northwest Territories X

Manufacturers Name: ENDRESS+HAUSER SE+Co.KG, see attached worldwide locations appendix	
Manufacturers Address: Hauptstrasse 1, 79689 Maulburg, Germany, see "Worldwide Locations"	
Plant Locations: Hauptstrasse 1, 79689 Maulburg, Germany, see "Worldwide Locations"	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters.                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"><b>Endress+Hauser</b>                   People for Process Automation</p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:  <p align="center" style="font-size: 1.2em;"><b>Machined</b></p> </p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>CRN Micropilot FMR6X / FMR6XB</p>	

**Declaration:**

I Christopher Prolos (see note 3) employed by Endress+Hauser SE+Co. KG and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SAS ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0F19773.5 Add1</u> FID#: <u>133</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. 11/2015	<p><b>ACCEPTED</b></p> <p><b>PROVINCE OF PRINCE EDWARD ISLAND</b>  <b>COMMUNITIES, LAND &amp; ENVIRONMENT</b></p> <p>CRN: <u>0F19773.59A00</u>                  DATE: <u>FEB 2/28</u></p> <p>                  INSPECTION SERVICES SECTION                  BOILER/PRESSURE VESSEL BRANCH</p> <p style="font-size: 0.8em;">Fittings Rev. 2</p>

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick x      Nova Scotia x      Prince Edward Island x      Newfoundland and Labrador x  
 Nunavut x      Yukon x      Northwest Territories x

Manufacturers Name: <b>ENDRESS+HAUSER SE+Co.KG</b> , see attached worldwide locations appendix	
Manufacturers Address: <b>Hauptstrasse 1, 78689 Maulburg, Germany</b> , see "Worldwide Locations"	
Plant Locations: <b>Hauptstrasse 1, 78689 Maulburg, Germany</b> , see "Worldwide Locations"	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction <b>ASME B31.3</b>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product <div style="text-align: center;">  </div>	Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: <b>Machined</b>
List of supporting documentation and identification of the actual items to be registered: <b>CRN Micropilot FMR6X / FMR6XB</b>	

**Declaration:**

I Christopher Prolos (see note 3) employed by Endress+Hauser SE+Co. KG and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *[Signature]*  
 Declared before me at \_\_\_\_\_  
 This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_  
 Commissioner of Oaths  
 Or Notary Public: (sign) \_\_\_\_\_

Use this space for the Official Seal

(Affix Official seal to the right)

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of issuance. CRN: <u>0F19773.5 Add1</u> FID#: <u>133</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. 11/2018	Registered <u>0F19773.50 Add1</u> Date <u>Feb 2 2024</u> Engineering and Inspection Services Registered by <u><i>[Signature]</i></u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND Sect 1.0 - Fittings Rev.2 THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS
---	---


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick X      Nova Scotia X      Prince Edward Island X      Newfoundland and Labrador X  
 Nunavut X      Yukon X      Northwest Territories X

Manufacturers Name: ENDRESS+HAUSER SE+Co.KG, see attached worldwide locations appendix	
Manufacturers Address: Hauptstrasse 1, 79689 Maulburg, Germany, see "Worldwide Locations"	
Plant Locations: Hauptstrasse 1, 79689 Maulburg, Germany, see "Worldwide Locations"	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps  <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"><b>Endress+Hauser</b>                   People for Process Automation</p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:  <p align="center"><b>Machined</b></p> </p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>CRN Micropilot FMR6X / FMR6XB</p>	

**Declaration:**

I Christopher Prolos (see note 3) employed by Endress+Hauser SE+Co. KG and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS ISO 9001: 2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at \_\_\_\_\_


This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0F19773.5 Add1</u>	
FID#: <u>133</u>	
Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation.	
11/2016	


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick x      Nova Scotia x      Prince Edward Island x      Newfoundland and Labrador x  
 Nunavut x      Yukon x      Northwest Territories x

Manufacturers Name: ENDRESS+HAUSER SE+Co.KG, see attached worldwide locations appendix	
Manufacturers Address: Hauptstrasse 1, 79889 Maulburg, Germany, see "Worldwide Locations"	
Plant Locations: Hauptstrasse 1, 79889 Maulburg, Germany, see "Worldwide Locations"	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  (F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">ASME B31.3</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center"><b>Endress+Hauser</b>                   People for Process Automation</p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:  <p align="center"><b>Machined</b></p> </p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>CRN Microplot FMR6X / FMR6XB</p>	

**Declaration:**

I Christopher Prais (see note 3) employed by Endress+Hauser SE+Co. KG and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001: 2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at \_\_\_\_\_


This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths \_\_\_\_\_

Or Notary Public: (sign) \_\_\_\_\_

(Affix Official seal to the right)

Use this space for the Official Seal

<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0F19773.5 Add1</u></p> <p>FID#: <u>133</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>11/2018</p>	<p align="center"></p> <p align="center">Northwest Territories</p> <p align="center">REGISTERED                  UNDER THE AUTHORITY OF                  THE BOILER AND PRESSURE                  VESSEL ACT.</p> <p align="center">C.R.N. <u>0F19773.5</u></p> <p align="center">SIGNED <u></u></p> <p align="center">DATE <u>Feb 7 2024</u></p> <p align="right">16300</p>
---	--

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick x      Nova Scotia x      Prince Edward Island x      Newfoundland and Labrador x  
 Nunavut x      Yukon x      Northwest Territories x

Manufacturers Name: <u>ENDRESS+HAUSER SE+Co.KG, see attached worldwide locations appendix</u>	
Manufacturers Address: <u>Hauptstrasse 1, 79689 Maulburg, Germany, see "Worldwide Locations"</u>	
Plant Locations: <u>Hauptstrasse 1, 79689 Maulburg, Germany, see "Worldwide Locations"</u>	
<b>Category of Fittings to be registered. Circle one Category only</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F <input checked="" type="radio"/> Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b>  ASME B31.3
Show Manufacturers Name, Trademark, or Logo as it will appear on the product  <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> <h2 style="margin: 0;">Endress+Hauser</h2>                       People for Process Automation                 </div> <div style="text-align: center;"> <b>Type of Construction</b>                      Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                      Cast <input type="checkbox"/> Other <input type="checkbox"/>                      Describe other:  <h2 style="margin: 0;">Machined</h2> </div> </div>	
List of supporting documentation and identification of the actual items to be registered: <u>CRN Micropilot FMR6X / FMR6XB</u>	

**Declaration:**

I Christopher Preiss (see note 3) employed by Endress+Hauser SE+Co. KG and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SOS ISO 9001: 2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at \_\_\_\_\_  
 This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_  
 Commissioner of Oaths  
 Or Notary Public: (sign) \_\_\_\_\_

Use this space for the Official Seal

(Affix Official seal to the right)

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>0F19773.5 Add1</u> FID#: <u>133</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. 11/2016	 <h2 style="margin: 0;">NUNAVUT</h2> Boilers and Pressure Vessels Act  <h3 style="margin: 0;">REGISTERED</h3> CRN <u>0F19773.5N Add 1</u> Date <u>Feb 02, 2024</u> Signed _____ Chief Inspector  <h2 style="margin: 0;">Territorial Registration Fee</h2>
---	---